DIAMOND®
DIAMALLOY®
COPALOY®

CANADIAN USERS PRICE LIST 723L
SEPT. 1, 1969
FOR USE WITH CATALOG W-28

DIAMOND TOOL and Horseshoe Co.
580 FRONT ST. WEST TORONTO, ONTARIO

DIAMOND TOOLS

ADJUSTABLE WRENCHES

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
A24	4.21	4	Diamond Black Alloy	2 ozs.
A26	4.21	6	Diamond Black Alloy	4 ozs.
A28	4.73	8	Diamond Black Alloy	8 ozs.
A210	5.94	10	Diamond Black Alloy	14 ozs.
A212	8.65	12	Diamond Black Alloy	1 lb. 7 ozs.
A215	13.10	15	Diamond Black Alloy	3 lb. 3 ozs.
A218	21.86	18	Diamond Black Alloy	5 lb. 13 ozs.

C79	3.79	9	Auto	15 ozs.
C711	4.39	11	Auto	1 lb. 8 ozs.
C715	8.47	15	Auto	3 lb. 3 ozs.
C718	12.86	18	Auto	6 lb. 2 ozs.

CC712	5.76	12	Monkey	2 lb.



CW12A	8.31	12	Chain Wrench, Single Action	1 lb. 8 ozs.
CW12	8.62	12	Chain Wrench, Double Action	1 lb. 12 ozs.
CW12C	4.23	12	Repair Chain	
CW15	13.01	15	Chain Wrench Double Action	2 lb. 8 ozs.
CW15C	5.00	15	Repair Chain	
CW24	19.20	24	Chain Wrench	3 lb. 3 ozs.
CW24C	5.76	24	Repair Chain	

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
D74	4.93	4	Diamalloy Chrome	2 ozs.
D76	4.93	6	Diamalloy Chrome	4 ozs.
D78	5.56	8	Diamalloy Chrome	8 ozs.
D710	6.99	10	Diamalloy Chrome	14 ozs.
D712	10.17	12	Diamalloy Chrome	1 lb. 7 ozs.
D715	15.39	15	Diamalloy Chrome	3 lb. 3 ozs.
D718	25.74	18	Diamalloy Chrome	5 lb. 13 ozs.
D724	43.34	24	Diamalloy Chrome	9 lb. 3 ozs.
DB76	7.77	4-6	Double End ½"-¾"	4 ozs.
DB78	8.74	6-8	Double End ¾"-1"	8 ozs.
DB710	10.82	8-10	Double End 1"-1⅛"	16 ozs.
DB712	14.76	10-12	Double End 1⅛"-1 5/16"	27 ozs.

WITH CRYSTAL GRIP (DIAMALLOY)

D74P	5.38	4	W/Crystal Grip	2 ozs.
D76P	5.38	6	W/Crystal Grip	4 ozs.
D78P	6.03	8	W/Crystal Grip	8 ozs.
D710P	7.59	10	W/Crystal Grip	14 ozs.
D712P	10.91	12	W/Crystal Grip	1 lb. 7 ozs.
D7P	70.56		Crystal Grip Display Rack Asst.	7 lb.

DIAMALLOY SPECIAL WRENCHES

S-6	5.38	6	Special (Refrigeration)	4 ozs.
S-8	6.03	8	Special (Refrigeration)	8 ozs.
S-10	7.59	10	Special (Refrigeration)	14 ozs.
S-12	10.91	12	Special (Refrigeration)	1 lb. 7 ozs.
RS5	77.95		Diamalloy Special Wrench Display Rack (Refrigeration)	8 lb.

RATCHET WRENCH

RS1	9.07	6	Ratchet (Refrigeration)	6 ozs.

* not illustrated in catalog

WRENCH REPAIR PARTS

Cat. No.	Price Each	Size Inches	Description
A74J	.69	4	Diamond Jaw
A76J	.72	6	Diamond Jaw
A78J	.85	8	Diamond Jaw
A710J	1.12	10	Diamond Jaw
A712J	1.64	12	Diamond Jaw
A712C	31.38		Parts Assort. with cabinet
AD74J	.78	4	Diamalloy Jaw
AD76J	.85	6	Diamalloy Jaw
AD78J	1.05	8	Diamalloy Jaw
AD710J	1.39	10	Diamalloy Jaw
AD712J	1.99	12	Diamalloy Jaw
AD715J	3.02	15	Diamalloy Jaw
AD718J	3.65	18	Diamalloy Jaw
AD724J	5.60	24	Diamalloy Jaw
AD74KS	.43	4	Knurl & Spring
AD76KS	.43	6	Knurl & Spring
AD78KS	.52	8	Knurl & Spring
AD710KS	.54	10	Knurl & Spring
AD712KS	.78	12	Knurl & Spring
AD715KS	1.01	15	Knurl & Spring
AD718KS	1.19	18	Knurl & Spring
AD724KS	1.66	24	Knurl & Spring
AD74P	.11	4	Pin
AD76P	.11	6	Pin
AD78P	.11	8	Pin
AD710P	.11	10	Pin
AD712P	.25	12	Pin
AD715P	.25	15	Pin
AD718P	.27	18	Pin
AD724P	.34	24	Pin
AD712C	31.61		Diam. Parts Asst. with Cabinet
712C	7.57		Cabinet only
C79J	1.05	9	Auto Jaw
C711J	1.39	11	Auto Jaw
C715J	2.08	15	Auto Jaw
C718J	2.96	18	Auto Jaw
C79K	.31	9	Auto Knurl and Spring
C711K	.52	11	Auto Knurl and Spring
C715K	.78	15	Auto Knurl and Spring
C718K	1.30	18	Auto Knurl and Spring
C79P	.11	9	Auto Pin
C711P	.20	11	Auto Pin
C715P	.20	15	Auto Pin
C718P	.20	18	Auto Pin
CC712J	1.57	12	Monkey Jaw
CC712K	.54	12	Monkey Knurl & Spring
CC712P	.25	12	Monkey Pin

PLIERS — ELECTRONIC & SOLID JOINT

Applies to Electronic Pliers only: Special Feature available on tools as indicated and priced. Springs & plastic handles optional.

"R" Coil Spring in Handle ..... $ .45

"P" Cushion Grip on solid joint pliers ..... $ .31

NOTE: Bonded plastic dipped handles are available on pliers indicated by letter "P" in this sheet and catalog only. ALL pliers with bonded handles do not show the letter "P" STAMPED on the tool.

Rounded inside edges for Long Nose Pliers, add ..... $ .60

Special fine point on all Long Nose Pliers, add ..... $ .45

For perfectly flush edges add $2.26

Nickel-Chrome plated pliers 15% additional for plating over standard finish.

Full Polish-Nickel chrome plated pliers 25% additional over standard finish.

COPALOY ELECTRONIC PLIERS with New Copaloy Rivets

All Copaloy pliers are furnished with plastic handles and recoil springs as standard.

They can be furnished less spring and plastic handles on special request.

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
CN54	6.20	4	Curved Needle Nose	2 ozs.
CN55	6.65	5	Curved Needle Nose	3 ozs.
DN54	5.60	4	Duck Bill	2 ozs.
EC54	6.50	4	Transverse End Cutter	2 ozs.
EC54F	6.97	4	Transverse End Cutter	2 ozs.
GA54	10.28	4	Angle End Cutter	2 ozs.
GA54-2	13.31	4	Rounded Back	2 ozs.
GA54-4	30.40	4	Angle End Cut. Carbide Blade	2 ozs.
LC55	9.68	5	Long Nose — Modified as LC56RP	3 ozs.
LC55-1	11.20	5	Shorter Nose than LC55 Angle Cut	3 ozs.
LC55-2	18.14	5	Spec. Ang. Cut for Nickel Ribbon	3 ozs.
L4	5.60	4	Sub Miniature Long Nose	2 ozs.
L4-1	6.20	4	Same As L-4 With Rounded edges, Smooth Jaws	2 ozs.
LN54	5.60	4	Long Nose	2 ozs.
LN54-1	6.20	4	Round Edges, Smooth Jaws	2 ozs.
LN54-2	6.05	4	Fine Point	2 ozs.
LN55	6.36	5	Long Nose	3 ozs.
LN55-1	6.97	5	Long Nose, Smooth Jaw Rounded Edges	3 ozs.
MS54	6.05	4	Diagonal Cutter	2 ozs.
MS54-1	9.07	4	Diagonal Cutter	2 ozs.
MS54-2	14.52	4	Carbide Shear	2 ozs.
MS54-3	7.57	4	Diag. Cut. Ground Down on Back	2 ozs.
MS54-4	27.22	4	Diagonal Carbide Flush	2 ozs.
MS54-5	7.57	4	Diag. Old Style — Straight Sides	2 ozs.
MS54-6	7.57	4	Diag. — Short Nose Flush Cut	2 ozs.
MS54-7	6.05	4	Diagonal — Flush Ground	2 ozs.
MS54G	7.10	4	Diag. — Flush Grd — Tapered Sides	2 ozs.
NN54	6.36	4	Needle Nose	2 ozs.
NN54-1	6.97	4	Needle Nose, Smooth, Slightly Rounded Jaws	2 ozs.
NN54-2	6.81	4	Fine Point	2 ozs.
NN55	6.81	5	Needle Nose	3 ozs.
NN55-1	7.41	5	Smooth Jaws, Rounded Edges	3 ozs.
RN54	5.76	4	Round Nose — Wire Loop Plier	2 ozs.
SC54	6.36	4	Long Nose Tip Cut	2 ozs.
SN54	6.20	4	Long Nose Side Cut	2 ozs.
SN54-2	11.49	4	Radius Edge	2 ozs.
SN55	6.20	5	Long Nose Side Cut	3 ozs.
C-1	40.54		Kit with one each EC54, SN54 MS54, NN54, LN54, DN54	

DIAMALLOY PLIERS



Indicate "P" for Plastic and "R" for Springs on the following pliers

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
CN56	6.20	6	Curved Ndl. Nose	6 ozs.
CN56P	6.50	6	Curved Ndl. Nose	6 ozs.
DB58	5.60	8	Short Nose Duck Bill	6 ozs.
DB58P	5.89	8	Short Nose Duck Bill	6 ozs.
DN56	5.15	6	Duck Bill	5 ozs.
DN56P	5.44	6	Duck Bill	5 ozs.
DN58	5.60	8	Long Duck Bill	7 ozs.
DN58P	5.89	8	Long Duck Bill	7 ozs.
LC56	7.86	6	Long Nose Strt. Cut	6 ozs.
LC56P	8.18	6	Long Nose Strt. Cut	6 ozs.
LC56R	8.31	6	Long Nose Strt. Cut	6 ozs.
LC56RP	8.62	6	Long Nose Strt. Cut	6 ozs.
LC56-1	7.86	6	Long Nose Angle Cut	6 ozs.
LC56-1P	8.18	6	Long Nose Angle Cut	6 ozs.
LC56-1R	8.31	6	Long Nose Angle Cut	6 ozs.
LC56-1RP	8.62	6	Long Nose Angle Cut	6 ozs.

* not illustrated in catalog

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
LN56	4.84	6	Long Nose	6 ozs.
LN56P	5.15	6	Long Nose	6 ozs.
LN56R	5.29	6	Long Nose	6 ozs.
LN56RP	5.60	6	Long Nose	6 ozs.
LN57	5.29	7	Long Nose	7 ozs.
LN57P	5.60	7	Long Nose	7 ozs.
LN57R	5.76	7	Long Nose	7 ozs.
LN57RP	6.05	7	Long Nose	7 ozs.
LN57-1	6.50	7	Long Nose, Fine Scoring, Fine Tips	7 ozs.
LN57-1P	6.81	7	Long Nose, Fine Scoring, Fine Tips	7 ozs.
LN57-1R	6.97	7	Long Nose, Fine Scoring, Fine Tips	7 ozs.
LN57-1RP	7.26	7	Long Nose, Fine Scoring, Fine Tips	7 ozs.
NN56	5.44	6	Needle Nose	5 ozs.
NN56P	5.76	6	Needle Nose	5 ozs.
NN56R	5.89	6	Needle Nose	5 ozs.
NN56RP	6.20	6	Needle Nose	5 ozs.
NN57	5.89	7	Needle Nose	6 ozs.
NN57P	6.20	7	Needle Nose	6 ozs.
NN58	5.44	8	Long Reach Short Nose	6 ozs.
NN58P	5.76	8	Long Reach Short Nose	6 ozs.
S54	5.15	4	Diagonal Cutter	3 ozs.
S54P	5.44	4	Diagonal Cutter	3 ozs.
S54R	5.60	4	Diagonal Cutter	3 ozs.
S54RP	5.89	4	Diagonal Cutter	3 ozs.
S54-5RP	7.41	4	Diag. Cut. — Old Style Strt. Sides	3 ozs.
S54FRP	6.65	4	Diag. Flush Cut	3 ozs.
S54RG	7.10	4	Diag. Flush Cut	3 ozs.
S54RGP	7.41	4	Diag. Flush Cut	3 ozs.
S55	5.44	5	Diagonal Cutter	4 ozs.
S55P	5.76	5	Diagonal Cutter	4 ozs.
S55FRP	6.97	5	Diag. Flush Cut	4 ozs.
S55R	5.89	5	Diagonal Cutter	4 ozs.
S55RP	6.20	5	Diagonal Cutter	4 ozs.
S55RG	7.41	5	Diag. Flush Cut	4 ozs.
S55RGP	7.71	5	Diag. Flush Cut	4 ozs.
* S55-3RP	9.23	5	Ground Down on Back Side	4 ozs.
S55-5RP	7.71	5	Diag. Cut. — Old Style Strt. Sides	4 ozs.
S56	6.05	6	Diagonal Cutter	6 ozs.
S56P	6.36	6	Diagonal Cutter	6 ozs.
S56FRP	7.57	6	Diag. Flush Cut	6 ozs.
S56R	6.50	6	Diagonal Cutter	6 ozs.
S56RP	6.81	6	Diagonal Cutter	6 ozs.
S56RG	8.02	6	Diag. Flush Cut	6 ozs.
S56RGP	8.31	6	Diag. Flush Cut	6 ozs.
S56S	6.81	6	Diag. Cut. Short Nose	6 ozs.
* S56-3RP	9.83	6	Ground Down on Back Side	6 ozs.
S57	6.65	7	Diagonal Cutter	7 ozs.
S57P	6.97	7	Diagonal Cutter	7 ozs.
S57FRP	8.18	7	Diag. Flush Cut	7 ozs.
S57R	7.10	7	Diagonal Cutter	7 ozs.
S57RP	7.41	7	Diagonal Cutter	7 ozs.
S57RG	8.62	7	Diag. Flush Cut	7 ozs.
S57RGP	8.92	7	Diag. Flush Cut	7 ozs.
* S57-3RP	10.44	7	Ground Down on Back Side	7 ozs.
SBN56	7.26	6	Long Side-Cut Bead	6 ozs.
SC56P	6.97	6	Anvil Cut	6 ozs.
SC56RP	7.41	6	Anvil Cut	6 ozs.
SL56	6.36	6	Lineman	7 ozs.
SL56NE	6.36	6	Lineman — New England Type	7 ozs.
ISL56	7.32	6	Lineman-Ins. Hdls.	9 ozs.
ISL56NE	7.32	6	Lineman-Ins. Hdls.	9 ozs.
E56	.96	6	Ins. Sleeves (Pair)	
SL57	6.81	7	Lineman	10 ozs.
ISL57	7.86	7	Lineman-Ins. Hdls.	11 ozs.
E57	1.05	7	Ins. Sleeves (Pair)	
SL58	8.31	8	Lineman	15 ozs.
SL58NE	8.31	8	Lineman—New England Type	15 ozs.
ISL58	9.48	8	Lineman-Ins. Hdls.	1 lb. 1 ozs.
ISL58NE	9.48	8	Lineman-Ins. Hdls.	1 lb. 1 ozs.
E58	1.14	8	Ins. Sleeves (Pair)	
SL59NE	10.28	9	Lineman	1 lb. 1 ozs.
ISL59NE	11.42	9	Lineman-Ins. Hdls.	1 lb. 3 ozs.
E59	1.14	9	Ins. Sleeves (Pair)	
SN56	6.05	6	Long Side Cut.	6 ozs.
SN56P	6.36	6	Long Side Cut.	6 ozs.
SN56R	6.50	6	Long Side Cut.	6 ozs.
SN56RP	6.81	6	Long Side Cut.	6 ozs.
SN57	6.50	7	Long Side Cut.	7 ozs.
SN57P	6.81	7	Long Side Cut.	7 ozs.
SN57RP	7.26	7	Long Side Cut.	7 ozs.
SS57	6.05	7	Heavy Duty Diagonal	8 ozs.
ISS57	7.10	7	Heavy Duty Diag. Ins. Hdls	9 ozs.
SS57P	6.36	7	Heavy Duty Diagonal	8 ozs.
SS57F	7.10	7	Heavy Duty Diagonal Flush Cut.	8 ozs.
SS57SF	7.86	7	Heavy Duty Diagonal Flush Cut.	8 ozs.
SS58	6.36	8	Heavy Duty Diagonal	9 ozs.
SS58F	7.41	8	Heavy Duty Diagonal Flush Cut	9 ozs.
SS58FP	7.86	8	Heavy Duty Diagonal Flush Cut	9 ozs.
SS58P	6.81	8	Heavy Duty Diagonal	9 ozs.
ST55RP	10.12	5	Diagonal Stripper 3 hole	4 ozs.

PLIERS — SLIP JOINT

H16	3.34	6	Regular Nose with Cutter	8 ozs.
H18	3.79	8	Regular Nose with Cutter	9 ozs.
H110	5.00	10	Regular Nose with Cutter	15 ozs.
K15	2.42	5	Reg. Nose	4 ozs.
K16	2.58	6	Reg. Nose	8 ozs.
K18	3.18	8	Reg. Nose	9 ozs.
K110	4.23	10	Reg. Nose	15 ozs.
K25	2.26	5	Reg. Nose	4 ozs.
K26	2.42	6	Reg. Nose	8 ozs.
K28	3.02	8	Reg. Nose	9 ozs.
K210	3.94	10	Reg. Nose	15 ozs.
K35	1.52	5	Reg. Nose	4 ozs.
K35	1.46	5	Reg. Nose (gross lots)	4 ozs.
K36	1.52	6	Reg. Nose	8 ozs.
K36	1.46	6	Reg. Nose (gross lots)	8 ozs.
K38	1.93	8	Reg. Nose	9 ozs.
K38	1.81	8	Reg. Nose (gross lots)	9 ozs.
K310	2.73	10	Reg. Nose	15 ozs.
KC16	3.94	6	Auto Hose Clamp	8 ozs.
KC16P	4.23	6	Auto Hose Clamp	8 ozs.
KC18	4.55	8	Auto Hose Clamp	9 ozs.
M16	3.18	6	Thin Bent Nose	8 ozs.
M26	2.87	6	Thin Bent Nose	8 ozs.
N15	2.58	5	Thin Strt. Nose	4 ozs.
N16	2.73	6	Thin Strt. Nose	7 ozs.
N18	3.34	8	Thin Strt. Nose	10 ozs.
N110	4.55	10	Thin Strt. Nose	17 ozs.
N25	2.42	5	Thin Strt. Nose	4 ozs.
N26	2.58	6	Thin Strt. Nose	7 ozs.
N28	3.18	8	Thin Strt. Nose	10 ozs.
N210	4.08	10	Thin Strt. Nose	17 ozs.
P17	4.08	7	Slip Joint-Side Cut.	8 ozs.
P27	3.79	7	Slip Joint-Side Cut.	8 ozs.
PH18	5.29	8	Slip Joint-Side Cut.	9 ozs.

PLIER — REPAIR PARTS

45BN	.18	5	Slip Jt.-Bolt & Nut	
46BN	.18	6	Slip Jt.-Bolt & Nut	
48BN	.18	8	Slip Jt.-Bolt & Nut	
410BN	.18	10	Slip Jt.-Bolt & Nut	
46HBN	.18	6	Slip Jt.-Bolt & Nut, H Line	
48HBN	.18	8	Slip Jt.-Bolt & Nut, H Line	
410HBN	.18	10	Slip Jt.-Bolt & Nut, H Line	

PLIERS — GROOVE-JOINT

HL14	4.08	4	Groove-Joint	2 ozs.
HL14P	4.39	4	Groove-Joint	2 ozs.
HL16	4.23	6	Groove-Joint	5 ozs.
HL16P	4.55	6	Groove-Joint	5 ozs.
HL18	4.68	8	Groove-Joint	8 ozs.
HL18P	5.00	8	Groove-Joint	9 ozs.
HL110	5.60	10	Groove-Joint	12 ozs.
HL110P	6.05	10	Groove-Joint	13 ozs.
HL112	6.20	12	Groove-Joint	1 lb. 7 ozs.
HL112P	6.81	12	Groove-Joint	1 lb. 8 ozs.
HL112S	6.20	12	Groove-Joint Smooth Jaw	1 lb. 7 ozs.
HL112SP	6.81	12	Groove-Joint Smooth Jaw	1 lb. 8 ozs.
HL116	8.02	16	Groove-Joint	2 lb. 7 ozs.
HL116P	8.92	16	Groove-Joint	2 lb. 9 ozs.
HL120	11.80	20	Groove-Joint	3 lb. 11 ozs.
HL120P	13.01	20	Groove-Joint	3 lb. 13 ozs.

PLIERS — GROOVE-JOINT REPAIR PARTS

14GBN	.18	4	Groove-Jt. Bolt & Nut
16GBN	.18	6	Groove-Jt. Bolt & Nut
18GBN	.18	8	Groove-Jt. Bolt & Nut
110GBN	.18	10	Groove-Jt. Bolt & Nut
112GBN	.18	12	Groove-Jt. Bolt & Nut
116GBN	.34	16	Groove-Jt. Bolt & Nut
120GBN	.34	20	Groove-Jt. Bolt & Nut

* not illustrated in catalog

PLIERS — BATTERY, UTILITY & MISC.

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
DH16	7.41	6	Handyboy	6 ozs.
DH16C	44.46	6	Handyboy 6-Pack Counter Display	2 lb. 2 ozs.
HB18	3.02	8	Battery	8 ozs.
HB28	2.73	8	Battery	8 ozs.
HP15	2.26	5	Ignition	2 ozs.
HP15P	2.58	5	Ignition	2 ozs.
HP15PC	15.48	5	Ignition 6-Pack Counter Display	14 ozs.
HP17	2.73	7	Utility	6 ozs.
HP17P	3.02	7	Utility	6 ozs.
HP110	3.18	10	Pump & Utility	11 ozs.
HP110P	3.63	10	Pump & Utility	11 ozs.
HP210	2.87	10	Pump & Utility	11 ozs.
LR58	5.44	8	Lock Ring	6 ozs.
R510	6.50	10	Fence and Utility Tool	1 lb. 7 ozs.
R510	7.41	10	Bulk Pack (72)	1 lb. 7 ozs.
R510P	6.36	10	Fence and Utility Tool, Plastic Hdls., Nickel Plated	1 lb. 8 ozs.
15BN	.18	5	Ignition Bolt & Nut	
17BN	.18	7	Utility Bolt & Nut	
18BN	.18	8	Battery Bolt & Nut	
110BN	.18	10	Pump & Util. Bolt & Nut	

NIPPERS

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
G56	6.05	6	End Cutter	8 ozs.
G56F	6.81	6	End Cutter	8 ozs.
G57	6.65	7	End Cutter	11 ozs.
G57F	7.41	7	End Cutter	11 ozs.
G58	7.86	8	End Cutter	14 ozs.
G58F	8.31	8	End Cutter	14 ozs.
GG06	3.79	6	Carpenter	8 ozs.
GG08	4.55	8	Carpenter	12 ozs.
GG06T	3.79	6	Mosaic Tile	8 ozs.
GG08T	4.39	8	Mosaic Tile	14 ozs.
GG010	5.29	10	Heavy Duty	16 ozs.
GG014	6.65	14	Heavy Duty	2 lb. 1 ozs.
GT28	5.29	8	Pro. Tile	12 ozs.
GT28C	11.33	8	Pro. Tile-Carbide	12 ozs.

SNIPS — AVIATION

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
DAL10	6.97	10	Aviation, Left Cut	13 ozs.
DAR10	6.97	10	Aviation, Right Cut	13 ozs.
DAS10	6.97	10	Aviation, Straight Cut	13 ozs.
DAL10G	7.41	10	Aviation, Left Cut	13 ozs.
DAR10G	7.41	10	Aviation, Right Cut	13 ozs.
DAS10G	7.41	10	Aviation, Straight Cut	13 ozs.

REPAIR PARTS

DABBN10	.25	10	Blade Bolt & Nut
DACBN10	.25	10	Center Bolt & Nut
DAHBN10	.25	10	Handle Bolt & Nut
DASSL10	.25	10	Spring—Straight and Left Hand
DASSR10	.25	10	Spring—Right Hand
DASG10	.45	10	Plastic Grips
DARG10	.45	10	Plastic Grips
DALG10	.45	10	Plastic Grips

SNIPS — CIRCULAR

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
DC7	4.68	7	Circular Cut	9 ozs.
DC10	6.05	10	Circular Cut	1 lb. 2 ozs.
DC12	7.86	12	Circular Cut	1 lb. 12 ozs.

REPAIR PARTS

DCBN7	.25	7	Bolt & Nut
DCBN10	.25	10	Bolt & Nut
DCBN12	.25	12	Bolt & Nut

SNIPS — STRAIGHT

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
DS7	4.68	7	Straight Cut	9 ozs.
DS10	5.89	10	Straight Cut	1 lb. 3 ozs.
DS12	7.41	12	Straight Cut	1 lb. 13 ozs.
DS14	9.68	14	Straight Cut	2 lb. 11 ozs.

REPAIR PARTS

DSBN7	.25	7	Bolt & Nut
DSBN10	.25	10	Bolt & Nut
DSBN12	.25	12	Bolt & Nut
DSBN14	.25	14	Bolt & Nut

SNIPS — HEAVY DUTY

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
+ DSS16	12.86	16	Heavy Duty	3 lb. 8 ozs.

HEAVY DUTY — REPAIR PARTS

+ DSSBN16	.25	16	Bolt & Nut

CRATE OPENERS

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
T29	3.47	9	Crate Opener	15 ozs.
T59	2.41	9	Crate Opener	15 ozs.
TC29	3.18	9	Utility Tool	1 lb. 2 ozs.
TC59	2.58	9	Utility Tool	1 lb. 2 ozs.
TL26	3.02	6	Crate Opener	9 ozs.
TL56	2.26	6	Crate Opener	9 ozs.

PLASTIC CUTTING PLIERS

Cat. No.	Price Each	Size Inches	Description	Wt. Ea.
M56RP	8.78	6	Heavy Duty Cutter	6 ozs.
M56CRP	34.03	6	Heavy Duty Cutter Carb. Blade	6 ozs.
M57RP	9.99	7	Heavy Duty Cutter	7 ozs.
M57CRP	36.00	7	Heavy Duty Cutter Carb. Blade	7 ozs.
S54RGP	7.41	4	Diag. Flush Cut	3 ozs.
M554G	7.10	4	Diag. Flush Grd.— Tpd. Sides	2 ozs.
S55RGP	7.71	5	Diag. Flush Cut	4 ozs.
S56RGP	8.31	6	Diag. Flush Cut	6 ozs.
S57RGP	8.92	7	Diag. Flush Cut	7 ozs.
SS57FP	7.41	7	Hvy. Duty Diag. Flush Cut.	8 ozs.
G56F	6.81	6	End Cutter	8 ozs.
G57F	7.41	7	End Cutter	11 ozs.
EC54F	6.97	4	Transverse End Cut.	2 ozs.
GA54	10.28	4	Angle End Cutter	2 ozs.
GA54-4	30.40	4	Angle End Cutter — Carb. Blade	2 ozs.

TOOL DISPLAY BOARDS

Cat. No.	Price Each	Description	Wt. Ea.
No. 11	20.25	Wrench Forging Display	10 lb.
No. 22	176.22	Basic Electronics Display	14 lb.
No. 33	115.18	Basic Industrial Display	27 lb.
No. 44	111.48	Basic Industrial Display	17 lb.
* No. 55	282.44	Basic Hardware Display	42 lb.
No. 66	134.51	Basic Automotive Display	28 lb.
No. 77	81.36	Tin Snips Display	24 lb.
No. 88	35.71	Groove-Joint Pliers Display	10 lb.
* No. 99	131.04	Basic Refrigeration Display	20 lb.

DISPLAY RACKS

Cat. No.	Price Each	Description	Wt. Ea.
D7P	70.56	Crystal Grip Wrench Assortment	7 lb.
HLP	43.60	Groove Jt. Plier Assortment	8 lb.
TSP	36.58	Tin Snip Assortment	8 lb.
RS5	77.95	Special Wrench and Ratchet Display Rack (Refrigeration)	8 lb.

* not illustrated in catalog